



Designation	Principal Dimensions(mm)			Basic Load Ratings(kN)		Limited Speed(rpm)	
	d	D	B	Cr	Cor	Grease	Oil
7005AC	25	47	12	11.1	7	12000	17000
7205AC	25	52	15	15.8	9.7	11000	16000
7305AC	25	62	17	27	15.6	9500	14000
7006AC	30	55	13	14.4	9.8	9500	14000
7206AC	30	62	16	22.1	13.5	9000	13000
7306AC	30	72	19	32.8	20.4	8500	12000
7406AC	30	90	23	55.6	32.7	6500	8500
7007AC	35	62	14	17.3	12.1	8500	12000
7207AC	35	72	17	29.2	18	8000	11000
7307AC	35	80	21	38.2	24.9	7500	10000
7407AC	35	100	25	66.4	41.9	5500	8000
7008AC	40	68	15	18.7	14.1	8000	11000
7208AC	40	80	18	36.8	25.4	7500	10000
7308AC	40	90	23	47	31.1	6700	9000
7408AC	40	110	27	73.7	42.1	5200	7000
7009AC	45	75	16	24.7	19.1	7500	10000
7209AC	45	85	19	38.6	28.1	6700	9000
7309AC	45	100	25	61.6	41.2	6000	8000
7409AC	45	120	29	84.5	55.1	5000	6500
7010AC	50	80	16	25.3	20.5	6700	9000
7210AC	50	90	20	40.8	30.1	6300	8500
7310AC	50	110	27	71.9	48.5	5600	7500

AC Series

7410AC	50	130	31	115.8	78.3	4500	6000
7011AC	55	90	18	35.5	26.5	6000	8000
7211AC	55	100	21	50.8	38.2	5600	7000
7311AC	55	120	29	83.4	58	5000	3700
7012AC	60	95	18	37	31.3	5600	7500
7212AC	60	110	22	58.1	46	5300	7000
7312AC	60	130	31	95.2	67.2	4800	6300
7412AC	60	150	35	131.8	95.3	3800	5200
7013AC	65	100	18	38	33.6	5300	7000
7213AC	65	120	23	66.6	52.1	4800	6300
7313AC	65	140	33	109.3	78.3	4300	5600
7014AC	70	110	20	45.8	40.9	5000	6700
7214AC	70	125	24	69.4	57	4500	5800
7314AC	70	150	35	118.8	88.2	4000	5300
7015AC	75	115	20	47.5	43.3	4800	6300
7215AC	75	130	25	75.3	62.8	4300	5600
7315AC	75	160	37	134.4	99.8	3800	5000
7016AC	80	125	22	57.5	51	4500	6000
7216AC	80	140	26	91.3	65.1	4000	5300
7316AC	80	170	39	149.5	107.7	3600	4800
7017AC	85	130	22	55	52.8	4300	5600
7217AC	85	150	28	94.9	80.8	3800	5000
7317AC	85	180	41	154.3	122.3	3400	4500
7018AC	90	140	24	65	62.8	4000	5300
7218AC	90	160	30	122	106.5	3600	4800
7318AC	90	190	43	177.6	153.5	3200	4300
7019AC	95	145	24	69.8	69.1	3800	5000
7219AC	95	170	32	128.4	107.8	3400	4500

AC Series

7319AC	95	200	45	193.3	172.6	3200	4200
7020AC	100	150	24	69	69.7	3800	5000
7220AC	100	180	34	142.3	120.6	3200	4300
7320AC	100	215	47	213.5	198.6	3000	4000
7021AC	105	160	26	80.9	72.2	3600	4800
7221AC	105	190	36	159	135.1	3000	4000
7321AC	105	225	49	226.7	216.6	2800	3800
7022AC	110	170	28	98.5	93.9	3400	4600
7222AC	110	200	38	176.3	151.2	2800	3800
7322AC	110	240	50	253.2	252.4	2600	3600
7024AC	120	180	28	103.5	104.5	2800	3800
7224AC	120	215	40	193.6	170.9	2400	3400
7324AC	120	260	55	265.4	269.5	2200	3200
7026AC	130	200	33	122.4	127.8	2600	3400
7226AC	130	230	40	196.4	200.1	2000	3000
7028AC	140	210	33	145.3	152.8	2400	3200