



7310B.MP.UA

Designation	Principal Dimensions(mm)			Basic Load Ratings(kN)		Limited Speed(rpm)	
	d	D	B	Cr	Cor	Grease	Oil
7304BM	20	52	15	17.3	9.6	11000	15000
7205BM	25	52	15	14.8	9.3	10000	14000
7305BM	25	62	17	24.3	14.1	9000	13000
7206BM	30	62	16	20.5	13.5	8500	12000
7306BM	30	72	19	29.3	18.1	8000	11000
7406BM	30	90	23	51.4	30.1	6000	8000
7207BM	35	72	17	28.3	14.8	7500	10000
7307BM	35	80	21	38.3	24.4	7000	9500
7407BM	35	100	25	60.2	37.9	5000	7500
7208BM	40	80	18	34.5	23.8	6700	9000
7308BM	40	90	23	46.5	29.5	6300	8500
7408BM	40	110	27	70.1	49.1	5000	6500
7209BM	45	85	19	34	24.6	6300	8500
7309BM	45	100	25	59.6	39.6	5600	7500
7409BM	45	120	29	80.7	44.1	4500	6000
7210BM	50	90	20	40.4	25.6	5600	8000
7310BM	50	110	27	68.1	48	5000	6700
7410BM	50	130	31	105.3	71.2	4000	5500
7211BM	55	100	21	46.3	36	5300	7000
7311BM	55	120	29	82.2	56.2	4500	6300
7212BM	60	110	22	56.1	44.3	4800	6300
7312BM	60	130	31	91.5	65.4	4300	5600

BM Series

7412BM	60	150	35	119.3	86.1	3500	4700
7213BM	65	120	23	65.7	50.2	4300	6000
7313BM	65	140	33	102.3	75.3	3800	5300
7413BM	65	160	37	128.7	96.4	3200	4500
7214BM	70	125	24	70.4	56.3	4000	5600
7314BM	70	150	35	114.6	85.9	3600	5000
7414BM	70	180	42	138.7	109.6	3000	4200
7215BM	75	130	25	68.6	58.2	3800	5300
7315BM	75	160	37	127.7	95.4	3400	4800
7216BM	80	140	26	78.7	65.7	4000	5300
7316BM	80	170	39	141.4	107.9	3200	4800
7416BM	80	200	48	158.4	132.4	2600	3700
7217BM	85	150	28	83.2	74.1	3800	5000
7317BM	85	180	41	155.8	120.9	3000	4000
7218BM	90	160	30	107.6	92.4	3200	4300
7318BM	90	190	43	157.9	136.9	3000	4000
7219BM	95	170	32	121.4	106.7	3000	4000
7319BM	95	200	45	172	154.1	2800	4000
7220BM	100	180	34	140.7	102.5	2800	3800
7320BM	100	215	47	190	177.3	2600	3800
7221BM	105	190	36	143.3	128.5	2800	3800
7321BM	105	225	49	201.7	193.3	2400	3600
7222BM	110	200	38	153.8	144.3	2400	3400
7322BM	110	240	50	225.8	225.3	2200	3400
7224BM	120	215	40	165.4	161.4	2200	3200
7324BM	120	260	55	250.4	262	1900	2800
7226BM	130	230	40	170.8	174.2	1800	2800
7326BM	130	280	58	302.5	336.9	1700	2300

BM Series

7228BM	140	250	42	212.3	197.3	1800	2600
7328BM	140	300	62	329.1	381.4	1600	2200
7230BM	150	270	45	259.5	297.2	1600	2200
7330BM	150	320	65	356.5	428.6	1400	1900