



Designation	Principal Dimensions(mm)			Basic Load Ratings(kN)		Limited Speed(rpm)	
	d	D	B	Cr	Cor	Grease	Oil
7305ACM	25	62	17	27	15.6	9500	14000
7306ACM	30	72	19	32.8	20.4	8500	12000
7406ACM	30	90	23	55.6	32.7	6500	8500
7207ACM	35	72	17	29.2	18	8000	11000
7307ACM	35	80	21	38.2	24.9	7500	10000
7407ACM	35	100	25	66.4	41.9	5500	8000
7008ACM	40	68	15	18.7	14.1	8000	11000
7208ACM	40	80	18	36.8	25.4	7500	10000
7308ACM	40	90	23	47	31.1	6700	9000
7408ACM	40	110	27	73.7	42.1	5200	7000
7009ACM	45	75	16	24.7	19.1	7500	10000
7209ACM	45	85	19	38.6	28.1	6700	9000
7309ACM	45	100	25	61.6	41.2	6000	8000
7409ACM	45	120	29	84.5	55.1	5000	6500
7010ACM	50	80	16	25.3	20.5	6700	9000
7210ACM	50	90	20	40.8	30.1	6300	8500
7310ACM	50	110	27	71.9	48.5	5600	7500
7410ACM	50	130	31	115.8	78.3	4500	6000
7011ACM	55	90	18	35.5	26.5	6000	8000
7211ACM	55	100	21	50.8	38.2	5600	7000
7311ACM	55	120	29	83.4	58	5000	3700
7012ACM	60	95	18	37	31.3	5600	7500

ACM Series

7212ACM	60	110	22	58.1	46	5300	7000
7312ACM	60	130	31	95.2	67.2	4800	6300
7412ACM	60	150	35	131.8	95.3	3800	5200
7013ACM	65	100	18	38	33.6	5300	7000
7213ACM	65	120	23	66.6	52.1	4800	6300
7313ACM	65	140	33	109.3	78.3	4300	5600
7014ACM	70	110	20	45.8	40.9	5000	6700
7214ACM	70	125	24	69.4	57	4500	5800
7314ACM	70	150	35	118.8	88.2	4000	5300
7015ACM	75	115	20	47.5	43.3	4800	6300
7215ACM	75	130	25	75.3	62.8	4300	5600
7315ACM	75	160	37	134.4	99.8	3800	5000
7016ACM	80	125	22	57.5	51	4500	6000
7216ACM	80	140	26	91.3	65.1	4000	5300
7316ACM	80	170	39	149.5	107.7	3600	4800
7017ACM	85	130	22	55	52.8	4300	5600
7217ACM	85	150	28	94.9	80.8	3800	5000
7317ACM	85	180	41	154.3	122.3	3400	4500
7018ACM	90	140	24	65	62.8	4000	5300
7218ACM	90	160	30	122	106.5	3600	4800
7318ACM	90	190	43	177.6	153.5	3200	4300
7019ACM	95	145	24	69.8	69.1	3800	5000
7219ACM	95	170	32	128.4	107.8	3400	4500
7319ACM	95	200	45	193.3	172.6	3200	4200
7020ACM	100	150	24	69	69.7	3800	5000
7220ACM	100	180	34	142.3	120.6	3200	4300
7320ACM	100	215	47	213.5	198.6	3000	4000
7021ACM	105	160	26	80.9	72.2	3600	4800

ACM Series

7221ACM	105	190	36	159	135.1	3000	4000
7321ACM	105	225	49	226.7	216.6	2800	3800
7022ACM	110	170	28	98.5	93.9	3400	4600
7222ACM	110	200	38	176.3	151.2	2800	3800
7322ACM	110	240	50	253.2	252.4	2600	3600
7024ACM	120	180	28	103.5	104.5	2800	3800
7224ACM	120	215	40	193.6	170.9	2400	3400
7324ACM	120	260	55	265.4	269.5	2200	3200
7026ACM	130	200	33	122.4	127.8	2600	3400
7226ACM	130	230	40	196.4	200.1	2000	3000
7028ACM	140	210	33	145.3	152.8	2400	3200