




Principal Dimensions(mm)			Designation	Basic Load Ratings(kN)		Limited Speed(rpm)	
d	D	B		Cr	Cor	Grease	Oil
25	47	12	7005AC	11.1	7	12000	17000
25	52	15	7205AC	15.8	9.7	11000	16000
25	62	17	7305AC	27	15.6	9500	14000
30	55	13	7006AC	14.4	9.8	9500	14000
30	62	16	7206AC	22.1	13.5	9000	13000
30	72	19	7306AC	32.8	20.4	8500	12000
30	90	23	7406AC	55.6	32.7	6500	8500
35	62	14	7007AC	17.3	12.1	8500	12000
35	72	17	7207AC	29.2	18	8000	11000
35	80	21	7307AC	38.2	24.9	7500	10000
35	100	25	7407AC	66.4	41.9	5500	8000
40	68	15	7008AC	18.7	14.1	8000	11000
40	80	18	7208AC	36.8	25.4	7500	10000
40	90	23	7308AC	47	31.1	6700	9000
40	110	27	7408AC	73.7	42.1	5200	7000
45	75	16	7009AC	24.7	19.1	7500	10000
45	85	19	7209AC	38.6	28.1	6700	9000
45	100	25	7309AC	61.6	41.2	6000	8000
45	120	29	7409AC	84.5	55.1	5000	6500
50	80	16	7010AC	25.3	20.5	6700	9000
50	90	20	7210AC	40.8	30.1	6300	8500
50	110	27	7310AC	71.9	48.5	5600	7500

AC Series

50	130	31	7410AC	115.8	78.3	4500	6000
55	90	18	7011AC	35.5	26.5	6000	8000
55	100	21	7211AC	50.8	38.2	5600	7000
55	120	29	7311AC	83.4	58	5000	3700
60	95	18	7012AC	37	31.3	5600	7500
60	110	22	7212AC	58.1	46	5300	7000
60	130	31	7312AC	95.2	67.2	4800	6300
60	150	35	7412AC	131.8	95.3	3800	5200
65	100	18	7013AC	38	33.6	5300	7000
65	120	23	7213AC	66.6	52.1	4800	6300
65	140	33	7313AC	109.3	78.3	4300	5600
70	110	20	7014AC	45.8	40.9	5000	6700
70	125	24	7214AC	69.4	57	4500	5800
70	150	35	7314AC	118.8	88.2	4000	5300
75	115	20	7015AC	47.5	43.3	4800	6300
75	130	25	7215AC	75.3	62.8	4300	5600
75	160	37	7315AC	134.4	99.8	3800	5000
80	125	22	7016AC	57.5	51	4500	6000
80	140	26	7216AC	91.3	65.1	4000	5300
80	170	39	7316AC	149.5	107.7	3600	4800
85	130	22	7017AC	55	52.8	4300	5600
85	150	28	7217AC	94.9	80.8	3800	5000
85	180	41	7317AC	154.3	122.3	3400	4500
90	140	24	7018AC	65	62.8	4000	5300
90	160	30	7218AC	122	106.5	3600	4800
90	190	43	7318AC	177.6	153.5	3200	4300
95	145	24	7019AC	69.8	69.1	3800	5000
95	170	32	7219AC	128.4	107.8	3400	4500

AC Series

95	200	45	7319AC	193.3	172.6	3200	4200
100	150	24	7020AC	69	69.7	3800	5000
100	180	34	7220AC	142.3	120.6	3200	4300
100	215	47	7320AC	213.5	198.6	3000	4000
105	160	26	7021AC	80.9	72.2	3600	4800
105	190	36	7221AC	159	135.1	3000	4000
105	225	49	7321AC	226.7	216.6	2800	3800
110	170	28	7022AC	98.5	93.9	3400	4600
110	200	38	7222AC	176.3	151.2	2800	3800
110	240	50	7322AC	253.2	252.4	2600	3600
120	180	28	7024AC	103.5	104.5	2800	3800
120	215	40	7224AC	193.6	170.9	2400	3400
120	260	55	7324AC	265.4	269.5	2200	3200
130	200	33	7026AC	122.4	127.8	2600	3400
130	230	40	7226AC	196.4	200.1	2000	3000
140	210	33	7028AC	145.3	152.8	2400	3200