



Principal Dimensions(mm)			Designation	Basic Load Ratings(kN)		Limited Speed(rpm)	
d	D	B		Cr	Cor	Grease	Oil
25	62	17	7305ACM	27	15.6	9500	14000
30	72	19	7306ACM	32.8	20.4	8500	12000
30	90	23	7406ACM	55.6	32.7	6500	8500
35	72	17	7207ACM	29.2	18	8000	11000
35	80	21	7307ACM	38.2	24.9	7500	10000
35	100	25	7407ACM	66.4	41.9	5500	8000
40	68	15	7008ACM	18.7	14.1	8000	11000
40	80	18	7208ACM	36.8	25.4	7500	10000
40	90	23	7308ACM	47	31.1	6700	9000
40	110	27	7408ACM	73.7	42.1	5200	7000
45	75	16	7009ACM	24.7	19.1	7500	10000
45	85	19	7209ACM	38.6	28.1	6700	9000
45	100	25	7309ACM	61.6	41.2	6000	8000
45	120	29	7409ACM	84.5	55.1	5000	6500
50	80	16	7010ACM	25.3	20.5	6700	9000
50	90	20	7210ACM	40.8	30.1	6300	8500
50	110	27	7310ACM	71.9	48.5	5600	7500
50	130	31	7410ACM	115.8	78.3	4500	6000
55	90	18	7011ACM	35.5	26.5	6000	8000
55	100	21	7211ACM	50.8	38.2	5600	7000
55	120	29	7311ACM	83.4	58	5000	3700
60	95	18	7012ACM	37	31.3	5600	7500

ACM Series

60	110	22	7212ACM	58.1	46	5300	7000
60	130	31	7312ACM	95.2	67.2	4800	6300
60	150	35	7412ACM	131.8	95.3	3800	5200
65	100	18	7013ACM	38	33.6	5300	7000
65	120	23	7213ACM	66.6	52.1	4800	6300
65	140	33	7313ACM	109.3	78.3	4300	5600
70	110	20	7014ACM	45.8	40.9	5000	6700
70	125	24	7214ACM	69.4	57	4500	5800
70	150	35	7314ACM	118.8	88.2	4000	5300
75	115	20	7015ACM	47.5	43.3	4800	6300
75	130	25	7215ACM	75.3	62.8	4300	5600
75	160	37	7315ACM	134.4	99.8	3800	5000
80	125	22	7016ACM	57.5	51	4500	6000
80	140	26	7216ACM	91.3	65.1	4000	5300
80	170	39	7316ACM	149.5	107.7	3600	4800
85	130	22	7017ACM	55	52.8	4300	5600
85	150	28	7217ACM	94.9	80.8	3800	5000
85	180	41	7317ACM	154.3	122.3	3400	4500
90	140	24	7018ACM	65	62.8	4000	5300
90	160	30	7218ACM	122	106.5	3600	4800
90	190	43	7318ACM	177.6	153.5	3200	4300
95	145	24	7019ACM	69.8	69.1	3800	5000
95	170	32	7219ACM	128.4	107.8	3400	4500
95	200	45	7319ACM	193.3	172.6	3200	4200
100	150	24	7020ACM	69	69.7	3800	5000
100	180	34	7220ACM	142.3	120.6	3200	4300
100	215	47	7320ACM	213.5	198.6	3000	4000
105	160	26	7021ACM	80.9	72.2	3600	4800

ACM Series

105	190	36	7221ACM	159	135.1	3000	4000
105	225	49	7321ACM	226.7	216.6	2800	3800
110	170	28	7022ACM	98.5	93.9	3400	4600
110	200	38	7222ACM	176.3	151.2	2800	3800
110	240	50	7322ACM	253.2	252.4	2600	3600
120	180	28	7024ACM	103.5	104.5	2800	3800
120	215	40	7224ACM	193.6	170.9	2400	3400
120	260	55	7324ACM	265.4	269.5	2200	3200
130	200	33	7026ACM	122.4	127.8	2600	3400
130	230	40	7226ACM	196.4	200.1	2000	3000
140	210	33	7028ACM	145.3	152.8	2400	3200